




PRODUCT NUMBER
SEE TABLE




mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fciconnect.com	
ltr	ecm no.	dr	date	linear	0.X ±0.3		COPY		title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
AU	V06-0569	DCH	2006-06-13		0.XX ±0.13		projection				
AV	DG09-0256	TER	2009-08-19		.XXX ±.051						
-	-	-	-	angles	0° ±2°				product family METRAL code		
AP	V04-0913	HTB	09/09/04	dr	T.BRUNGARD	11/19/99	MM		size	213	
AR	V04-0990	DAI	09/30/04	engr	M.STRAWSER	11/19/99	← MM →		dwg no	88922	
AS	V05-0053	TAB	02/17/05	chr	M.STRAWSER	11/19/99	scale		1 of 7		
AT	V05-0368	DPU	06/01/05	appd	M.STRAWSER	02/29/00	2:1		A		
sheet index	revision sheet	AV	AV	AV	AV	AV	AV	AV	cage code 22526		

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION





KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
11	6.50	17.00
17	7.00	13.60
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
25	5.75	15.60
52	8.00	14.90
64	5.75	14.90
69	7.25	14.90

mat'l code				tolerances unless otherwise specified		CUSTOMER		www.fcjconnect.com		
ltr	ecm no.	dr	date	linear	0.X ±0.3	COPY		projection		
AV					0.XX ±0.13	MM				title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT
					.XXX ±.051					
				angles	0° ±2°	product family		code		
				dr	T.BRUNGARD	11/19/99	METRAL		213	
				engr	M.STRAWSER	11/19/99	size	dwg no	sheet	
				chr	M.STRAWSER	11/19/99	88922		2	
				appd	M.STRAWSER	02/29/00	A			
sheet index	revision sheet						cage code			
							22526		4	

PRODUCT NUMBER	DESCRIPTION	PLATING IN PRESS FIT TAIL AREA	PERFORMANCE LEVEL OF PLATING IN CONTACT AREA
88922-NIYY	STANDARD	TIN LEAD	TELCORDIA CO (NXT)
88922-N5YY	STANDARD	TIN LEAD	TELCORDIA UE (NXT)
88922-IYY	STANDARD	TIN LEAD	TELCORDIA CO
88922-2YY	STANDARD	TIN LEAD	TELECOM CLASS
88922-3YY	STANDARD	TIN LEAD	IEC CLASS I
88922-5YY	STANDARD	TIN LEAD	TELCORDIA UE
88922-NIYYLF	LEAD FREE	TIN	TELCORDIA CO (NXT), IEC CLASS I, SEE NOTES 9 AND 10
88922-N5YYLF	LEAD FREE	TIN	TELCORDIA UE (NXT) SEE NOTES 9 AND 10
88922-IYYLF	LEAD FREE	TIN	TELCORDIA CO , IEC CLASS I, SEE NOTES 9 AND 10
88922-2YYLF	LEAD FREE	TIN	TELECOM CLASS, SEE NOTES 9 AND 10
88922-5YYLF	LEAD FREE	TIN	TELECORDIA UE , SEE NOTES 9 AND 10

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS. FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL: PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL AREA: SEE PRODUCT NUMBER TABLE. PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE ON SHEET3.
5. PRODUCT MARKING: PART NUMBER DESIGNATION & BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXX OR XXXXX-XXXXLF
7. PRODUCT SPECIFICATION: GS-12-180 APPLICATION SPECIFICATION: BUS-20-073
8. AFTER INSERTION INTO BOARD WITH QUALIFIED TOOLING.
9. THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-12-008.
10. ALL THE PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING 88922-NI---OR 88922-N5---WILL WITHSTAND EXPOSURE TO 260 DEGREES C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS 88922-NI---AND 88922-N5--- WILL NOT WITHSTAND REFLOW AND THE Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140 DEGREES C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code		SEE NOTES		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY		 title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT
AV					0.XX ±0.13		projection		
					.XXX ±.051				
				angles	0° ±2°				product family METRAL code 213 size dwg no 88922 sheet 3
				dr	T.BRUNGARD	11/19/99	MM		
				engr	x. xxxxxx	mm/dd/yy			
				chr	M.STRAWSER	11/19/99	scale		A cage code 22526
				appd	M.STRAWSER	02/29/00	11:1		
sheet index	revision sheet								

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.





This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X01 AND 88922-X01LF	D	-	2	-	2	-	2	-	2	-	2	-	2
	C	-	2	-	2	-	2	-	2	-	2	-	2
	B	-	2	-	2	-	2	-	2	-	2	-	2
	A	-	2	-	2	-	2	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X05 AND 88922-X05LF	D	25	25	25	25	25	25	25	25	25	25	25	25
	C	25	25	25	25	25	25	25	25	25	25	25	25
	B	25	25	25	25	25	25	25	25	25	25	25	25
	A	25	25	25	25	25	25	25	25	25	25	25	25

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X09 AND 88922-X09LF	D	1	3	1	1	1	1	1	1	1	1	1	1
	C	1	3	1	1	1	1	1	1	1	1	1	1
	B	1	3	1	1	1	1	1	1	1	1	1	1
	A	1	3	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X02 AND 88922-X02LF	D	-	6	-	6	-	6	-	6	-	6	-	6
	C	-	6	-	6	-	6	-	6	-	6	-	6
	B	-	6	-	6	-	6	-	6	-	6	-	6
	A	-	6	-	6	-	6	-	6	-	6	-	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X06 AND 88922-X06LF	D	6	6	6	20	20	20	6	6	6	20	20	20
	C	6	6	6	20	20	20	6	6	6	20	20	20
	B	6	6	6	20	20	20	6	6	6	20	20	20
	A	6	6	6	20	20	20	6	6	6	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X10 AND 88922-X10LF	D	-	-	6	6	-	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	-	-	-	-	-	8	8	8	8	20	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X03 AND 88922-X03LF	D	2	2	2	2	2	1	1	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	3	3	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X07 AND 88922-X07LF	D	2	3	2	2	2	2	2	2	2	2	2	2
	C	2	3	2	2	2	2	2	2	2	2	2	2
	B	2	3	1	2	2	2	2	2	2	2	2	2
	A	2	3	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X11 AND 88922-X11LF	D	19	1	1	1	1	19	1	19	1	19	1	19
	C	3	1	1	1	1	19	19	1	19	1	19	1
	B	3	1	1	1	1	19	19	1	19	1	19	1
	A	3	1	1	1	1	19	19	1	19	1	19	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X04 AND 88922-X04LF	D	-	-	2	2	-	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	4	4	4	4	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X08 AND 88922-X08LF	D	1	1	1	1	1	1	1	1	1	19	19	19
	C	1	1	1	1	1	1	1	1	1	19	19	19
	B	1	1	1	1	1	1	1	1	1	19	19	19
	A	1	1	1	1	1	1	1	1	1	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X12 AND 88922-X12LF	D	1	1	1	1	1	1	1	1	1	1	3	3
	C	1	1	1	1	1	1	1	1	1	1	3	3
	B	1	1	1	1	1	1	1	1	1	1	3	3
	A	1	1	1	1	1	1	1	1	1	1	3	3

mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ	
ltr	ecr no.	dr	date	linear	0.X ±0.3			COPY		www.fcjconnect.com	
AV				linear	0.XX ±0.13			projection		title	
				angles	.XXX ±.051					METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT	
				dr	T.BRUNGARD	11/19/99				product family	
				engr	M.STRAWSER	11/19/99		MM		METRAL	
				chr	M.STRAWSER	11/19/99				code	
				appd	M.STRAWSER	02/29/00				213	
sheet index	revision sheet									sheet	
										4	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X13 AND 88922-X13LF	D	20	-	7	7	7	7	7	7
	C	20	-	7	7	7	7	7	7
	B	20	-	7	7	7	7	7	7
	A	20	-	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X17 AND 88922-X17LF	D	-	6	-	6	-	6	-	6
	C	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-
	A	-	6	-	6	-	6	-	6

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X21 AND 88922-X21LF	D	20	-	7	-	7	-	7	-
	C	20	-	-	7	-	7	-	7
	B	20	-	7	-	7	-	7	-
	A	20	-	-	7	-	7	-	7

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X14 AND 88922-X14LF	D	19	3	3	3	3	3	3	3
	C	19	3	3	3	3	3	3	3
	B	19	3	3	3	3	3	3	3
	A	19	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X18 AND 88922-X18LF	D	1	1	1	4	1	1	3	3
	C	1	1	1	4	1	1	3	3
	B	1	1	1	4	1	1	3	3
	A	1	1	1	4	1	1	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X22 AND 88922-X22LF	D	2	2	2	6	6	6	6	6
	C	2	2	2	6	6	6	6	6
	B	2	2	2	6	6	6	6	6
	A	2	2	2	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X15 AND 88922-X15LF	D	7	5	5	5	5	5	5	5
	C	7	5	5	5	5	5	5	5
	B	7	5	5	5	5	5	5	5
	A	7	5	5	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X19 AND 88922-X19LF	D	1	2	2	2	2	2	2	2
	C	1	2	2	2	2	2	2	2
	B	1	2	2	2	2	2	2	2
	A	1	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X23 AND 88922-X23LF	D	19	3	3	3	3	19	3	3
	C	19	3	3	3	3	19	3	3
	B	19	3	3	3	3	19	3	3
	A	19	3	3	3	3	19	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X16 AND 88922-X16LF	D	-	2	-	2	-	2	-	2
	C	-	-	-	-	-	-	-	-
	B	-	-	-	-	-	-	-	-
	A	-	2	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X20 AND 88922-X20LF	D	21	-	11	-	11	-	11	-
	C	21	-	-	11	-	11	-	11
	B	21	-	11	-	11	-	11	-
	A	21	-	-	11	-	11	-	11

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
88922-X24 AND 88922-X24LF	D	7	-	7	-	7	-	7	-
	C	-	7	-	7	-	7	-	7
	B	7	-	7	-	7	-	7	-
	A	-	7	-	7	-	7	-	7

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		title	
AV				angles	0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				dr	.XXX ±.051			2 MOD, 4 ROW PRESS FIT	
				engr	0° ±2°			product family	
				chr	T.BRUNGARD 11/19/99	scale		METRAL	
				appd	M.STRAWSER 11/19/99	1:1		code	
sheet index	revision sheet				M.STRAWSER 02/29/00	A		213	
								sheet	
								5	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X25 AND 88922-X25LF	D	3	3	3	3	3	3	-	3	3	3	-	19
	C	3	3	3	3	3	3	-	3	3	3	-	19
	B	3	3	3	3	3	3	-	3	3	3	-	19
	A	3	3	3	3	3	3	-	3	3	3	3	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X29 AND 88922-X29LF	D	-	7	-	7	-	7	-	7	-	7	-	7
	C	7	-	7	-	7	-	7	-	7	-	7	-
	B	-	7	-	7	-	7	-	7	-	7	-	7
	A	7	-	7	-	7	-	7	-	7	-	7	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X33 AND 88922-X33LF	D	-	-	64	64	-	52	64	64	64	64	64	64
	C	64	64	64	64	64	64	64	64	64	64	64	64
	B	64	64	64	64	64	64	64	64	64	64	64	64
	A	-	-	-	-	-	-	69	69	69	69	52	52

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X26 AND 88922-X26LF	D	19	3	3	3	3	3	19	3	3	3	3	19
	C	19	3	3	3	3	3	19	3	3	3	3	19
	B	19	3	3	3	3	3	19	3	3	3	3	19
	A	19	3	3	3	3	3	19	3	3	3	3	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X30 AND 88922-X30LF	D	-	17	-	17	-	17	-	17	-	17	-	17
	C	17	-	17	-	17	-	17	-	17	-	17	-
	B	-	17	-	17	-	17	-	17	-	17	-	17
	A	17	-	17	-	17	-	17	-	17	-	17	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X34 AND 88922-X34LF	D	7	6	6	6	6	6	6	6	6	6	5	3
	C	7	6	6	6	6	6	6	6	6	6	5	3
	B	7	6	6	6	6	6	6	6	6	6	5	3
	A	7	6	6	6	6	6	6	6	6	6	5	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X27 AND 88922-X27LF	D	3	-	3	-	3	-	3	-	3	-	3	-
	C	-	3	-	3	-	3	-	3	-	3	-	3
	B	3	-	3	-	3	-	3	-	3	-	3	-
	A	-	3	-	3	-	3	-	3	-	3	-	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X31 AND 88922-X31LF	D	3	3	2	3	3	2	4	4	2	2	2	2
	C	3	3	2	3	3	2	4	4	2	2	2	2
	B	3	3	2	3	3	2	4	4	2	2	2	2
	A	3	3	2	3	3	2	4	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X35 AND 88922-X35LF	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	4	4	4	4	19	19	4	4	4	4	19	19

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X28 AND 88922-X28LF	D	19	-	3	-	3	-	3	-	3	-	19	-
	C	19	-	3	-	3	-	3	-	3	-	19	-
	B	19	-	3	-	3	-	3	-	3	-	19	-
	A	19	-	3	-	3	-	3	-	3	-	19	-

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X32 AND 88922-X32LF	D	-	-	6	6	-	20	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	6	6	6	6	6
	B	6	6	6	6	6	6	6	6	6	6	6	6
	A	-	-	-	-	-	-	8	8	8	8	20	20

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X36 AND 88922-X36LF	D	7	7	7	7	6	7	6	7	6	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	7	7	7	7	7	7	7	7	7



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code			--			tolerances unless otherwise specified			CUSTOMER		FCI		www.fciconnect.com		
ltr	ecn no.	dr	date		linear	0.X ±0.3		COPY		projection		title		METRAL SIGNAL HEADER	
AV						0.XX ±0.13						2 MOD, 4 ROW PRESS-FIT			
					angles	.XXX ±.051						product family		METRAL	
					dr	0° ±2°						size		213	
					engr	T.BRUNGARD 11/19/99						dwg no		88922	
					chr	M.STRAWSER 11/19/99						sheet		6	
					appd	M.STRAWSER 02/29/00						cage code		22526	
sheet index	revision														

1 | 2

3 |

4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X37 AND 88922-X37LF	D	3	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
88922-X38 AND 88922-X38LF	D	3	3	1	9	3	3	3	3	3	3	3	3
	C	3	3	1	9	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	1	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3	3	3

A




A



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

B

B

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		 www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3		COPY		title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
AV					0.XX ±0.13		projection				
					.XXX ±.051						
				angles	0° ±2°				product family		code
				dr	T.BRUNGARD	11/19/99	MM		METRAL		213
				enr	M.STRAWSER	11/19/99	← MM →		size	dwg no	sheet
				chr	M.STRAWSER	11/19/99	scale		A	88922	7
				appd	M.STRAWSER	02/29/00	1:1				
sheet index	revision sheet										

1 | 2

Pro/E

3 |

cage code 22526

4