





- 1 MATERIAL: HOUSING: POLYESTER, COLOR: GRAY, UL 94V-0. CONTACT: PHOSPHOR BRONZE.
- 2 FINISH: CONTACT MATING AREA: 1.27μm MIN GOLD OR 0.08μm MIN GOLD OVER 0.76μm MIN PALLADIUM-NICKEL. ACTION PIN AREA: 0.5μm MIN TIN PLATE, ALL OVER 1.27μm MIN NICKEL UNDERPLATE.
- 3 THE 10.26±0.13 DIMENSION APPLIES IN THIS AREA.
- 4 REFERENCE APPLICATION SPEC 114-1103 FOR RECOMMENDED PLATED THRU HOLE DIAMETER AND PLATING THICKNESS.
- 5. CURRENT RATING 10A/CONTACT PER PRODUCT SPEC 108-1651.



RECOMMENDED PCB HOLE LAYOUT

5223996-1  
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DATE: 14DEC04	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DESIGNER: B. CARBO		DATE: 14DEC04	Tyco Electronics Corporation	
DRAWN: J. PATTERSON		DATE: 14DEC04	ASSEMBLY, RIGHT ANGLE HEADER, WITH RETENTION PEGS, UNIVERSAL POWER MODULE	
CHECKED: J. PATTERSON		DATE: 14DEC04	APPLICATION SPEC: 114-1103	
PRODUCT SPEC: 108-1651		SIZE: 10:1		
APPLICATION SPEC: 114-1103		DRAWING NO: 5223996		
WEIGHT: --		SHEET 1 OF 1		
CUSTOMER DRAWING		SCALE: 10:1		