

Specification Sheet

Part Number: IT50RD9K2



Article Number

111-85219

Type

IT50RD

Color

Natural (NA)

Features & Benefits

- Identification plate feature allows bundles to be easily marked and identified.
- Wire and cable harnesses can be secured and identified using just one product, which saves time.
- Plates can be marked manually with a permanent marker or with a pre-printed adhesive label.

Quantity Per

bag

Product Description

Identification Cable Ties feature an identification plate that allows wire and cable bundles to be easily marked and identified. These ties enable wire and cables to be secured and identified using just one product, saving installation time. The plates can be marked using a permanent marker or with a HellermannTyton adhesive label.

Short Description

Identification Tie, 8" Long, 50lb Tensile Strength, PA66, Natural, 50/pkg

Global Part Name

IT50RD-PA66-NA

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

225.0

Length L (Imperial)

8.0

Length L (Metric)

205.0

Identification Plate Position

attached to bundle

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

1.1

Width W (Metric)

29.0

Bundle Diameter Min (Imperial)

0.4

Bundle Diameter Min (Metric)

10.0

Bundle Diameter Max (Imperial)

1.7

Bundle Diameter Max (Metric)

44.0

Thickness T (Imperial)

0.05

Thickness T (Metric)

1.2

Height H (Imperial)

1.04

Height H (Metric)	26.3
Outside Diameter Max(Imperial)	1.73
Outside Diameter Min (metric)	10.00
Outside Diameter Min(Imperial)	0.393
Outside Diameter Max (metric)	44.00

Material	Polyamide 6.6 (PA66)
-----------------	----------------------

Material Shortcut	PA66
--------------------------	------

US MIL SPEC	MS3368-3-9C
--------------------	-------------

SAE-AS81531	Flammability
-------------	---------------------

UL 94 V2	Halogen free
----------	---------------------

Yes	Operating Temperature (Metric)
-----	---------------------------------------

-40°F to +185°F (-40°C to +85°C)	Reach Complaint(Article 33)
----------------------------------	------------------------------------

Yes	ROHS Complaint
-----	-----------------------

Yes	Certification/Specification WEB
-----	--

UL ANSI/UL 746B UL ANSI/UL 62275 UL ANSI/UL 1565 CAGE Code 53421	UL Recognized (US)
--	---------------------------

Yes

UL Recognized (US and Canada)

Yes

Package Quantity(Imperial)

50

Package Quantity (Metric)

50

Customs Number

3926909987

Content Unit(BMEcat)

pcs.

Weight (Metric)

2