





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST	REVISIONS					
AA	22	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A3		REVISED PER ECR-09-018456	18AUG2009	TY	SY



- ⚠ MATERIAL: HOUSING - NYLON, BLACK, UL 94V-0. TERMINALS - 0.33[.013] THICK PHOS BRONZE PLATED WITH 1.27 μm [.000050] MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 3.81 μm [.000150] MINIMUM THICK MATTE TIN IN SOLDER AREA OVER 1.27 μm [.000050] MINIMUM THICK NICKEL UNDERPLATE.
- ⚠ JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- ⚠ USE #30 DRILL BIT OR 3.25mm DRILL BIT WHEN PRODUCING THESE PCB HOLES.
- ⚠ CAUTION: CATEGORY 5 JACK SOLDER TAIL POSITIONS DO NOT FOLLOW SAME NUMBER SEQUENCE AS THAT OF TRADITIONAL JACKS.



SUGGESTED PANEL CUTOUT



SUGGESTED PC BOARD LAYOUT COMPONENT SIDE

5569107-1
PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. FERNANDEZ 10JUN2005	CHK J. WESTMAN 10JUN2005	APVD S. FLICKINGER 10JUN2005	NAME Tyco Electronics Corporation Harrisburg, Pa 17105-3608
DIMENSIONS: mm [INCHES]	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC 108-1163		MODULAR JACK ASSEMBLY, 8 POSITION, RIGHT ANGLE, LOW PROFILE, KEYED, CATEGORY 5	
0 PLC ± -	1 PLC ± -	APPLICATION SPEC 114-2048		SIZE A2	CAGE CODE 5569107
2 PLC ± 0.25[.01]	3 PLC ± 0.13[.005]	MATERIAL FINISH		RESTRICTED TO	SCALE 1:1
4 PLC ± -	ANGLES ± -	CUSTOMER DRAWING		SHEET 1 OF 1	REV A3